


 KEI Wires and Cables The power behind the power	KEI INDUSTRIES LIMITED (MUMBAI) Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com	 BRUGG CABLES Well connected. <small>Under trademark license agreement with Brugg Kabel AG, Switzerland to manufacture EHV cables up to 220kV</small>
	HSN CODE : 85.44.60.20	

PRICE LIST JULY 2017 (REVISED)

ALUMINUM UN ARMoured / ARMoured **W.E.F : 18.07.2017**

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988


(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		48.00	55.00		65.00		77.00	85.00		96.00
10		58.00	71.00		86.00		92.00	107.00		122.00
16		71.00	91.00		112.00		108.00	114.00		136.00
25	43.00	91.00	124.00	142.00	152.00	71.00	111.00	144.00	162.00	175.00
35	53.00	115.00	158.00	180.00	200.00	85.00	136.00	182.00	205.00	227.00
50	69.00	147.00	207.00	240.00	263.00	104.00	170.00	230.00	266.00	294.00
70	92.00	198.00	287.00	331.00	367.00	132.00	226.00	310.00	361.00	398.00
95	125.00	265.00	355.00	411.00	460.00	149.00	291.00	385.00	437.00	486.00
120	156.00	316.00	439.00	516.00	573.00	179.00	347.00	460.00	545.00	595.00
150	190.00	385.00	544.00	622.00	712.00	213.00	419.00	567.00	646.00	732.00
185	234.00	481.00	676.00	783.00	885.00	260.00	521.00	693.00	806.00	910.00
240	293.00	638.00	864.00	997.00	1132.00	319.00	678.00	887.00	1014.00	1161.00
300	359.00	788.00	1063.00	1227.00	1385.00	388.00	827.00	1072.00	1243.00	1399.00
400	471.00	1010.00	1336.00	1547.00	1747.00	487.00	1041.00	1363.00	1581.00	1779.00
500	560.00					667.00				
630	659.00					780.00				
800	936.00					1075.00				
1000	1101.00					1239.00				

EXTRAS FOR SPECIAL CONSTRUCTION:

	Cable Size (Sq.mm)	FRLS Loading Factor			LSZH	
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
			Armd.	Unarmd.		
a) Round Wire Armouring						
- 2 x 16 & above	25.00%					
- 3 x 16 & 3.5CX25 & above	25.00%					
- 4 x 10 & above	25.00%					
- For Single core 95 & above	25.00%					
b) Stranding 10 sq.mm and below	10.00%					
c) Extruded PVC Innersheath Up 50	5.00%					
Extruded PVC Innersheath 70 & Above	2.50%					
d) HR PVC Insulation	2.00%					
e) HR PVC Inner Sheath	2.00%					
f) HR PVC Outer Sheath	2.00%					
g) Oxygen Index (FR)	2.50%					
h) PVC Cables	8.00%					

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673

Fax : 2825 8277

E-mail : manoj.kakkar@kei-ind.com



PRICE LIST JULY 2017 (REVISED)

CU UNARMoured / ARMoured

W.E.F : 18.07.2017

"KEI" BRAND Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armour (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		95.00	133.00		173.00		117.00	152.00		193.00
6		134.00	190.00		249.00		157.00	209.00		270.00
10		212.00	299.00		393.00		238.00	320.00		412.00
16	154.00	303.00	443.00		585.00	167.00	340.00	453.00		594.00
25	238.00	467.00	699.00	843.00	924.00	276.00	519.00	745.00	897.00	981.00
35	328.00	645.00	966.00	1112.00	1280.00	373.00	710.00	1026.00	1177.00	1353.00
50	449.00	883.00	1325.00	1550.00	1756.00	505.00	965.00	1398.00	1634.00	1852.00
70	639.00	1256.00	1892.00	2206.00	2532.00	710.00	1366.00	1984.00	2313.00	2652.00
95	858.00	1747.00	2628.00	3069.00	3520.00	998.00	1961.00	2850.00	3330.00	3815.00
120	1083.00	2198.00	3308.00	3939.00	4442.00	1256.00	2459.00	3582.00	4267.00	4802.00
150	1353.00	2744.00	4137.00	4769.00	5552.00	1562.00	3067.00	4471.00	5156.00	5993.00
185	1666.00	3382.00	5096.00	5961.00	6838.00	1921.00	3773.00	5502.00	6432.00	7370.00
240	2147.00	4361.00	6576.00	7668.00	8825.00	2467.00	4853.00	7088.00	8262.00	9500.00
300	2676.00	5440.00	8200.00	9564.00	11009.00	3076.00	6044.00	8823.00	10292.00	11837.00
400	3517.00	7141.00	10768.00	12460.00	14464.00	4029.00	7924.00	11580.00	13390.00	15531.00
500	4442.00					5085.00				
630	5595.00					6400.00				
800	7100.00					8109.00				
1000	8870.00					10122.00				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	48.00	69.00	69.00	90.00	12	201.00	311.00	251.00	344.00
3	61.00	89.00	84.00	113.00	14	231.00	360.00	285.00	396.00
4	77.00	114.00	101.00	142.00	16	262.00	412.00	295.00	446.00
5	91.00	136.00	118.00	170.00	19	308.00	486.00	342.00	523.00
6	108.00	162.00	135.00	197.00	24	390.00	612.00	428.00	656.00
7	121.00	186.00	150.00	223.00	27	436.00	684.00	477.00	730.00
8	141.00	213.00	170.00	251.00	30	498.00	783.00	547.00	842.00
10	170.00	263.00	217.00	293.00	37	610.00	960.00	666.00	1026.00

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

- | | | | |
|------------------------------|-------|-----------------------------|----------------|
| A) Tinning | 3.00% | E) OXYGEN INDEX (FR) | 2.50% |
| B) Stranding (Upto 6 SQ.MM) | 6.00% | F) HR PVC INSU./I.SH/O.SH. | 2.00% (Each) |
| C) Extruded Innersheath | 2.50% | G) FRLS Loading-Power Cable | 7.50% |
| D) Round Wire Armouring | | H) PVC Cables | 5% |

- 1C x 95 sq. mm & above 7.50%
- 1.5 sq. mm - 16 core & above 15.00%
- 2.5 sq. mm - 10 core & above 15.00%
- 16 sq. mm - 4 core & above 15.00%
- 25 sq. mm - 2 core & above 15.00%
- 16 sq. mm - 3 core & above 15.00%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	7.5%	7.5%	15.0%	15.0%
5 - 10	5.0%	7.5%	7.5%	15.0%	15.0%
12 & Above	5.0%	7.5%	7.5%	12.5%	12.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST JULY 2017 (REVISED)

W.E.F : 18.07.2017

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , AL FLAT STRIP ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
70	227.00	233.00	248.00			
95	257.00	260.00	275.00	359.00	374.00	498.00
120	290.00	293.00	311.00	415.00	420.00	548.00
150	324.00	327.00	342.00	450.00	457.00	572.00
185	373.00	382.00	410.00	522.00	535.00	636.00
240	460.00	469.00	516.00	601.00	615.00	719.00
300	533.00	547.00	603.00	676.00	692.00	843.00
400	638.00	664.00	721.00	801.00	819.00	964.00
500	804.00	843.00	873.00	1001.00	1001.00	1183.00
630	997.00	1014.00	1041.00	1188.00	1188.00	1386.00
800	1235.00	1246.00	1264.00	1387.00	1387.00	1588.00
1000	1490.00	1495.00	1644.00	1805.00	1805.00	1935.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.



Tel. : 022-2837 5642 / 2823 9673

Fax : 2825 8277

E-mail : manoj.kakkar@kei-ind.com



PRICE LIST JULY 2017 (REVISED)

W.E.F :18.07.2017

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWaY					
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
70	239.00	245.00	260.00			
95	271.00	274.00	290.00	378.00	394.00	524.00
120	305.00	308.00	328.00	436.00	442.00	577.00
150	341.00	345.00	361.00	474.00	481.00	603.00
185	393.00	402.00	432.00	550.00	563.00	669.00
240	484.00	494.00	542.00	632.00	647.00	757.00
300	561.00	576.00	635.00	712.00	729.00	887.00
400	672.00	698.00	758.00	843.00	862.00	1014.00
500	846.00	887.00	919.00	1053.00	1053.00	1245.00
630	1049.00	1067.00	1096.00	1250.00	1250.00	1459.00
800	1300.00	1311.00	1330.00	1460.00	1460.00	1671.00
1000	1568.00	1574.00	1731.00	1900.00	1900.00	2032.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 04 of 05

KEI WIRES & CABLES



PRICE LIST JULY 2017 (REVISED)

W.E.F : 18.07.2017

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFY					
	3.3 KV (E/UE)	6.6 KV(E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			474.00			
50			536.00			
70	558.00	597.00	637.00			
95	676.00	710.00	754.00	975.00	1015.00	1353.00
120	795.00	829.00	870.00	1133.00	1158.00	1543.00
150	898.00	935.00	971.00	1252.00	1277.00	1634.00
185	1058.00	1078.00	1130.00	1400.00	1432.00	1805.00
240	1253.00	1305.00	1356.00	1647.00	1678.00	2064.00
300	1481.00	1556.00	1578.00	1895.00	1925.00	2319.00
400	1800.00	1947.00	1982.00	2227.00	2267.00	2685.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.